

*SUPERIOR EFFICIENCY
IN CANOLA*

D-45

Swath Mower

 HALDRUP USA



SUPERIOR EFFICIENCY IN CANOLA

HALDRUP D-45 SWATH MOWER

SIMPLE AND SUPER EFFICIENT MACHINE CAPABLE OF
DIVIDING AND CUTTING MANY PLOTS PER HOUR.

JUST DIVIDING, JUST CUTTING OR BOTH ARE THE DIFFERENT
POSSIBILITIES THAT THE D-45 OFFERS YOU. WITH AN
ADJUSTMENT OF THE WORKING WIDTH, IT CAN BE ADAPTED
TO DIFFERENT CONDITIONS.

DIVIDE AND CUT YOUR CANOLA PLOTS!



ENSURING THE PURITY OF EACH PLOT

HALDRUP SWATH MOWER SYSTEM

BEST QUALITY WORKS

CUTTING UNIT & ROLLER



HYDRAULIC DRIVE.



CUTTING KNIFE BAR.



3 ROLLER PAIRS ON BOTH SIDES.



STEPLESS VARIABLE SPEED FROM 0 TO 50 RPM.

COMFORT FOR OPERATION IN THE FIELD

 HALDRUP USA

WIDE PLATFORM WITH A COMPLETE VIEW OF THE OPERATION. EVERYTHING
THE OPERATOR NEEDS, AT HIS FINGERTIPS



DESIGNED FOR LONG DAYS

HALDRUP OPERATION PLATFORM



DIFFERENT SEATING OPTIONS: COMFORT OR STANDARD.



MULTI-FUNCTION JOYSTICK TO HANDLE MANY HARVEST FUNCTIONS.



STEERING COLUMN HAS AN ERGONOMIC DESIGN WITH AN INTEGRATED TILT REGULATOR.



STANDARD HALOGEN LIGHTING.



*SUNROOF SYSTEM.

**Optional*

DEUTZ TD 2.9

EU STAGE V / US EPA TIER 4



75 HP, COMPACT, WATER-COOLED, 4-CYLINDER INLINE.



EU STAGE V / USA EPA TIER 4 EXHAUST EMISSION REQUIREMENTS.



TURBOCHARGED, CHARGE-AIR COOLED, WITH COOLED EXTERNAL EXHAUST GAS RECIRCULATION.



23 GALLONS (90 L) FUEL CAPACITY.



EASY CHANGING OF THE ENGINE FLUIDS REDUCE THE MAINTENANCE TIME.

POWER ON THE WHEELS

HALDRUP TRACTION



HYDROSTATIC TRANSMISSION.



2 SPEED.



*4 WD.



STEPLESS ADJUSTABLE TRACK WIDTH
ON FRONT AND REAR AXLE.

**Optional*

EASY ALSO IN TRANSPORTATION

HALDRUP SWATH MOWER

WE DESIGN EACH MACHINE
TO MAKE THE TRANSPORT
EASIER.

LIGHTWEIGHT AND JUST
DIMENSIONED FOR EASY
TRANSPORT

WE THINK ABOUT YOU!



 HALDRUP USA

SUPER COMPACT

HALDRUP D-45 DIMENSIONS

WEIGHT:
6000 lbs. / 2700 Kg.

HEIGHT:
7.9 ft. / 2.40 m.



WIDTH:
From 5.9 ft. / 1.8 m.

LENGTH:
15.4 ft. / 4.70 m.

 HALDRUP USA



HALDRUP USA CORP.

425 INDUSTRIAL PARKWAY
OSSIAN, IN 46777
USA

+1 (844) 694 – 6205

Info.usa@haldrup.net

www.haldrup.net