

*MANY OPTIONS
IN ONE MACHINE*

SB-25

Belt Cone Seeder

 HALDRUP USA



MANY OPTIONS IN ONE MACHINE


HALDRUP SB-25 BELT CONE SEEDER

DESIGNED TO WORK WITH DIFFERENT CROPS SUCH AS WHEAT, BARLEY, CANOLA, SOYBEANS, ETC. IN A VERY SIMPLE AND PRECISE WAY.

THANKS TO ITS BELT CONE DESIGN TOGETHER WITH ANTI-STATIC COMPONENTS, IT ALLOWS TO ACHIEVE EXCELLENT SEEDING RESULTS WITHOUT MIXING MATERIAL BETWEEN PLOTS.

IT HAS NEVER BEEN SO EASY TO BUILD A CUSTOM MACHINE LIKE THE SB-25!





THE HEART OF THE MACHINE

HALDRUP ELECTRIC BOX



ELECTRICAL BOX WITH FRONT VIEW.



WATERPROOF.



SIEMENS LOGO.



*GPS INPUT.

**Optional*



 HALDRUP USA

SUPER STRONG


HALDRUP FRAME



STRONG AND COMPACT!

HALDRUP FRAME

-  FRAME WIDTH: 5.25 / 5.9 FT. (1.60 / 1.8 M).
-  COMPACT FRAME.
-  3-POINT HITCH.
-  WHEELS: 5.00 – 15.
-  MAIN PARTS ARE SCREWED IN ORDER TO FACILITATE MODIFICATIONS.



COMFORT WITH MANY OPTIONALS

HALDRUP OPERATOR PLATFORM




COMFORT DURING LONG WORKING HOURS

HALDRUP OPERATOR PLATFORM

-  DIFFERENT WIDTHS: 6.5 / 8.2 FT. (2.00 / 2.5 M).
-  SEATING OPTIONS: COMFORT, STANDARD.
-  *PROTECTION AGAINST WIND & RAIN.
-  *WASTE BAG / SEED BOX HOLDER.
-  *SEAT WITH INTEGRATED HEATING.

**Optional*



SIMPLE AND FAST CONTROL

HALDRUP OPERATOR TERMINAL



TOUCHSCREEN / FULL COLOUR.



CYCLE CONTROL SETTINGS.



AUTOMATIC / MANUAL OPERATION MODES.



DIFFERENT LANGUAGES AVAILABLE.



WHERE EVERYTHING BEGINS

HALDRUP DISTRIBUTOR



HIGH PRECISION IN THE EFFICIENT WAY

HALDRUP DISTRIBUTOR



-  ANTI-STATIC MATERIAL.
-  FILLING FUNNEL: 0.62 / 1.02 / 1.49 / 1.96 / 2.83 IN. (16 / 26 / 38 / 50 / 72 MM).
-  *MANUAL / AUTOMATIC SLOPE EQUALIZER.
-  BELT CONE: 7.48 / 11.41 IN. (190 / 290 MM).

*Optional

*Optional



HIGH PRECISION IN THE EFFICIENT WAY

HALDRUP DISTRIBUTOR

-  DISTRIBUTION HEAD: 4 / 5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 18 / 20 / 24 OUTLETS.
-  STAINLESS STEEL SEED TUBE.
-  *QUICK CLAMPING FOR DISTRIBUTOR.
-  *"Y" TO CONNECT PIPES.
-  *AIR FLOW CLEANING

**Optional*

FOR ALL CONDITIONS, ALL OPTIONS



HALDRUP



AMAZONE



LEMKEN



BEST SEEDING PERFORMANCE

COULTERS

-  HALDRUP, LEMKEN, AMAZONE, HORSCH.
-  SPECIFIC BAR FOR EACH COULTER BRAND.
-  SINGLE OR DOUBLE DISCS.
-  SHORT AND LONG VERSIONS.
-  *ADDITIONAL SPRING, DEPTH GUIDE, COVERING TINE BAR, ETC.



HALDRUP USA

MAXIMUM WORK FLEXIBILITY

HALDRUP GEARBOX




THE DISTANCE YOU REQUIRE

HALDRUP GEARBOX

-  PLOT LENGTH ADJUSTMENT: 4.9 TO 82 FT. (1.5 TO 25 M).
-  STEPLESS ADJUSTMENT.
-  CAM GEAR
-  DISPLAY WITH ADJUSTMENT SCREW.
-  *ELECTRIC SEED DRIVE.

**Optional*



TRIGGERING THE POINT EXACTLY

HALDRUP MEASURING SYSTEM

SAME PLOT, SAME ALLEY

HALDRUP GROUD WHEEL



SENSOR INTEGRATED WITH A SEED CONTROL UNIT.



WORKING & TRANSPORT POSITION.



HIGH PRECISION.



CALIBRATION INTEGRATED.



OFFERING A MULTIPLE OPTIONS

TRIGGER OPTIONS

MANUAL TRIGGER




CABLE SYSTEM



GPS TRIMBLE
CONNECTOR



GPS PULSE
GENERATOR



 HALDRUP USA

SUPER COMPACT

HALDRUP SB-25 DIMENSIONS

TOTAL WIDTH: From 5.90 ft. / 1.80 m

TOTAL LENGTH: From 6.2 ft / 1.90 m.



TRANSPORT HEIGHT: From 5.9 ft. / 1.80 m

TRANSPORT WEIGHT: From 1000 lbs. / 450 Kg

OPERATION REQUIRES OPTIONALS

HALDRUP OPTIONALS

FERTILIZER



ROW MARKER



SEEDER MANAGER



MICROGRANULATE



ROOF



 HALDRUP USA



HALDRUP USA CORP.

425 INDUSTRIAL PARKWAY
OSSIAN, IN 46777
USA

+1 (844) 694 – 6205

Info.usa@haldrup.net

www.haldrup.net