

*BEST RESULTS FOR YOUR
INDIVIDUAL PLANTS*

LT-15

Lab Thresher & Cleaner

 HALDRUP USA



BEST RESULTS FOR YOUR INDIVIDUAL PLANTS

HALDRUP LT-15 LAB THRESHER & CLENER

DESIGNED NOT ONLY TO WORK LONG HOURS,
PROCESSING HUNDREDS OF PLANTS BUT ALSO TO
ENSURE MAXIMUM PURITY IN EACH SAMPLE.

SIMPLE AND STEPLESS ADJUSTMENT OF THRESHING
SPEED AND AIR FLOW MAKE THE LT-15 A PERFECT
MACHINE FOR YOUR OPERATION.

FOR CEREALS, PULSES, VEGGIES, RICE, CLOVER AND
MUCH MORE!






CHOOSE YOUR CROP

HALDRUP LT-15







EASY, FAST AND NECESSARY

LEVEL ADJUSTMENT SYSTEM WITH 4 SUPPORT POINTS
ADJUST THE POSITION OF THE MACHINE TO ACHIEVE THE BEST RESULTS



ALL CONTROL AT YOUR FINGERTIPS

HALDRUP ELECTRIC BOX





-  STEEL PAINTED BOX.
-  MAIN POWER SWITCH
-  ON / OFF SWITCH FOR THRESHING & BLOWER.
-  STEPLESS ADJUSTMENT OF THRESHING & BLOWER.





MADE TO AVOID CONTAMINATION

HALDRUP FILLING FUNNEL

-  ANTI-STATIC.
-  WITHOUT EDGES.
-  SECURE CONNECTION WITH
THE THRESHING DRUM.
-  EASILY REMOVABLE.





WE ENSURE
QUALITY

HALDRUP THRESHING DRUM







THE BEST PERFORMANCE

HALDRUP THRESHING DRUM

-  CLEARED VIEW OF THE PROCESS.
-  STEPLESS ADJUSTMENT SPEED.
-  SURFACE WITHOUT EDGES.
-  2 RUBBER PADDLES FOR A SOFT THRESHING.

EACH STAGE OF THE PROCESS IN ITS PLACE

HALDRUP FLAP CONTROL

-  MANUAL / *ELECTRIC FOOT PEDAL.
-  FLOW REGULATION TOWARDS THE AIR COLUMN.
-  PREVENTS GRAIN RETURN.
-  ANTI-STATIC:

**Optional*







 HALDRUP USA

AN EYE ON THE PROCESS

THE USER CAN SEE THE WHOLE PROCESS LIVE
EACH GRAIN IS CLEANED IN THE MOST PRECISE WAY

GREAT SEPARATION, BETTER CLEANING

HALDRUP AIR COLUMN

-  CLEARED VIEW OF THE PROCESS.
-  STEPLESS ADJUSTMENT OF THE AIR SPEED.
-  SURFACE WITHOUT EDGES.
-  2 OUTLETS: CLEANED GRAIN, DUST & CHAFF.





 HALDRUP USA

WE SIMPLIFY
THE PROCESS

HALDRUP AIR FLOW FLAP



CLEAN SEEDS IN YOUR HANDS

HALDRUP SIEVE

 0.02 / 0.04 (0.5 / 1.0 mm) MESH.

 RESISTANT PLASTIC HOLDER.





 STAINLESS STEEL FRAME.

 1.1 LBS. (0.5 Kg) WEIGHT.



TO WORK IN A HEALTHY ENVIRONMENT

HALDRUP DUST & CHAFF BAG

-  COTTON BAG.
-  METAL ZIPPER FOR CLEAN.
-  ELASTIC GRIP.
-  L x W: 31.5 x 18 IN (80 x 46 CM).



 HALDRUP USA

SUPER COMPACT

HALDRUP LT-15 DIMENSIONS

WEIGHT:
100 lbs. / 45 Kg.

HEIGHT:
47.5 in. / 120 cm.

WIDTH:
29 in. / 73.5 cm.



LENGTH:
29 in. / 73.5 cm.

 HALDRUP USA



HALDRUP USA CORP.

425 INDUSTRIAL PARKWAY
OSSIAN, IN 46777
USA

+1 (844) 694 – 6205

Info.usa@haldrup.net

www.haldrup.net